

1000+ Products

With our R&D and engineering expertise, we transform original ideas into high-quality products.



ATALI
INDUSTRY

2025

At Atali Industry, we manufacture high-quality and custom-designed products tailored to the needs of various industries.

Our product range stands out with engineering strength and precision manufacturing.

ataliindustry.com

ABOUT OF




Founded in 1978 by Ahmet Atalı, our company has been serving the machining industry for over four decades. Initially established in Seferağa Industrial Site in Bayrampaşa, Istanbul, our primary focus was the production of gas spring spare parts and end fittings.

About Us

Over the years, we have expanded our capabilities to meet the diverse needs of multiple industries and have earned a reputation as a reliable and solution-oriented manufacturing partner.

Since day one, our company has been committed to quality, trust, and continuity. We provide tailored solutions across various sectors, including automotive, machinery, hydraulic and pneumatic systems, and custom manufacturing.


By integrating advanced production techniques with strong engineering expertise, we ensure that each project meets the highest standards of precision and performance.





Drawing Name : Axial Ball Joint
Drawing No. : ATL.06.
Material : Standart 11SMnPb30
Protective Finish : white zinc plated .

Standard based on DIN 71802 – Metric sizes.
Mechanic fittings, suitable for static force transmission.
For a quotation, please look at below types and select the partnumber(s) you require.




Code	AA	d1	d2	d3	a	la	l3	e
		+0,15 -0,15	6h	+0,15 -0,15	+0,15 -0,15	+0,15 -0,15	+0,15 -0,15	+0,15 -0,15
01	7	8	M5	8	22	19,2	9	10,2
02	8	10	M6	10	25	23,5	11	11,5
03	11	13	M8	13	30	29,5	13	14
04	13	16	M10	16	35	36	16	15,5
05	13	16	M12	16	35	36	16	15,5
06	16	19	M14	22	45	48	20	21,5
07	16	19	M14*1,5	22	45	48	20	21,5
08	16	19	M16	22	45	48	20	21,5



Drawing Name : Ball Stud.
Drawing No : ATL.10
Material : Standart 11SMnPb30
Protective Finish : white zinc plated .

Standard based on DIN 71803 – Metric sizes.
Mechanic fittings, suitable for static force transmission.
For a quotation, please look at below types and select the
partnumber(s) you require.




Code	a	b	d	c	sw
	+0,1 -0,1	6h	+0,3 -0,3	+0,3 -0,3	
1	Ø8	M5	9	11	8
2	Ø8	M8	9	11	8
3	Ø8	M5	9	16	8
4	Ø10	M8	11	13	10
5	Ø10	M6	11	13	10
6	Ø10	M6	11	11	10
7	Ø10	M8	11	16,5	10
8	Ø10	M8	11	25	10
9	Ø10	M8	11	13	13
10	Ø10	M8	11	16,5	13
11	Ø10	M8	11	14,5	13
12	Ø10	M8	11	25	13
13	Ø10	M8	12,5	13	13
14	Ø13	M8	13	14	13
15	Ø13	M8	13	13	13
16	Ø13	M8	13	16,5	13
17	Ø13	M10*1,5	13	13	13
18	Ø13	M10*1,5	13	20	13
19	Ø13	M10*1,5	13	40	13
20	Ø13	M8	13	40	13
21	Ø16	M10*1,5	16	20	16
22	Ø16	M10*1,5	16	30	16



Drawing Name : Clevis
Drawing No : ATL.5.
Material : Standart 11SMnPb30
Protective Finish : White zinc plated .

Standard DIN 71752 - Metric sizes.
Mechanic fittings, suitable for static force transmission.
For a quotation, please look at below types and select the
partnumber(s) you require.




Code	Type	A	A1	E	G	E1	F	H	T	D	MX	gr.
		h11	+0,35 -0,15	+0,4 -0,4	+0,5 -0,5	+0,5 -0,5	+0,3 -0,3	+0,2 -0,2	+0,45 -0	h9	6h	
01	4x8	8	8	16	21	8	6	8	4	4	m4*0.7	0.005
02	4x16	8	8	24	29	16	6	8	4	4	m4*0.7	0.007
03	5x10	10	10	20	26	10	7.5	9	5	5	m5*0.8	0.009
04	5x20	10	10	30	36	20	7.5	9	5	5	m5*0.8	0.013
05	6x12	12	12	24	31	12	9	10	6	6	m6*1	0.015
06	6x24	12	12	36	43	24	9	10	6	6	m6*1	0.021
07	8x16	16	16	32	42	16	12	14	8	8	m8*1.25	0.037
08	8x32	16	16	48	58	32	12	14	8	8	m8*1.25	0.054
09	10x20	20	20	40	52	20	15	18	10	10	m10*1.5	0.074
10	10x40	20	20	60	72	40	15	18	10	10	m10*1.5	0.116
11	12x24	24	24	48	62	24	18	20	12	12	m12*1.75	0.121
12	14x28	27	27	56	72	28	22.5	24	14	14	m14*2	0.178





Drawing Name : Flat Metal Eyes.
Drawing No : ATL.01.
Material : Standart 11SMnPb30
Protective Finish : white zinc plated .

Standard Metric sizes.
Mechanic fittings, suitable for static force transmission.
For a quotation, please look at below types and select the partnumber(s) you require.



Code	B	E	T	D	MX	A	G
	+0,3 -0,3	+0,5 -0,5	-0,2	+0,1	6h	+0,5 -0,5	+0,5 -0,5
01	16	16	10	6,1	M8	11	24
02	16	18	10	6,1	M8	12,5	26
03	16	20	12	8,1	M8	13	28
04	16	16	12	8,1	M8	10	24
05	16	16	10	8,1	M8	10	24
06	16	17	10	8,1	M8	11	25
07	16	19	10	8,1	M6	13	27
08	16	20	12	8,1	M10	14	28
09	16	20	10	8,1	M8	14	28
10	16	22	12	8,1	M10	16	30
11	18	18	10	10,1	M8	9	27
12	18	20	12	10,1	M8	11	29
13	18	20	12	8,1	M8	11	29
14	18	20	10	10,1	M8	11	29
15	18	20	10	8,1	M8	11	29
16	20	18	12	10,1	M8	9	28
17	20	22	12	8,1	M10	13	32
18	20	22	10	8,1	M8	11	32
19	20	16	12	10,1	M8	10	26
19	26	22	12	14,5	M8	13,5	35
20	28	24	12	16,5	M8	14,5	38



info@ataliindustry.com



+90 537 737 29 12




www.ataliindustry.com



Drawing Name : Grooved Pin (TYPE B)
Drawing No. : ATL.08.
Material : Standart 11SMnPb30
Protective Finish : white zinc plated .

Standard based on DIN 71802 – Metric sizes.
Mechanic fittings, suitable for static force transmission.
For a quotation, please look at below types and select the partnumber(s) you require.




Code	d	L	d1	L1	b	a
	+0,2 -0,2	+0,3 -0,3	+0,1 -0,1	+0,3	+0,1 -0,04	+0,2 -0,2
01	8	20	7,7	16	1	1
02	10	25	9,6	20	1,1	2
03	12	30	11,5	24	1,1	2
04	16	39	15,2	32	1,1	2
05	20	48	19	40	1,3	3
06	25	60	23,9	50	1,3	4
07	30	65	28,6	55	1,6	3
08	35	84	33,4	70	1,6	5



Drawing Name : Lathed and Split Metal Eyes
Drawing No : ATL.03.
Material : Standart 11SMnPb30
Protective Finish : White zinc plated .

Standard Metric sizes.
Mechanic fittings, suitable for static force transmission.
For a quotation, please look at below types and select the partnumber(s) you require.




Code	B	E	T	D	MX	A	F	H	G
	+0,3 -0,3	+0,5 -0,5	-0,2	+0,1	6h	+0,5 -0,5	+0,5 -0,5	+0,1 -0,1	+0,4 -0,4
01	11	16	3	6,1	M5	6	8	9	21,5
02	13	20	3	6,1	M6	7	10	9	26,5
03	13	17	3	6,1	M6	7	10	9	23,5
04	13	18	3	6,1	M6	8	11	9	24,5
05	15	22	5	6,1	M6	9	12	9	29,5
06	15	22	5	8,1	M6	9	12	9	29,5
07	15	22	5	8,1	M8	9	12	11	29,5
08	15	20	10	8,1	M6	9	9	10	27,5
09	15	18	5	8,1	M6	8	11	10	25,5
10	15	25	5	8,5	M8	9	12	11	32,5
11	15	25	5	8,1	M8	9	12	11	32,5
12	15	25	5	8,5	M6	9	12	10	32,5
13	15	28	5	8,1	M8	13	17	11	35,5
14	15	28	5	10,1	M6	13	17	11	35,5
15	15	30	5	8,1	M8	12	16	11	37,5
16	15	18	5	8,1	M6	8	11	10	25,5



Drawing Name : Ovalize Metal Eyes.
Drawing No : ATL-04.
Material : Standart 11SMnPb30
Protective Finish : white zinc plated .

Standard Metric sizes.
Mechanic fittings, suitable for static force transmission.
For a quotation, please look at below types and select the
partnumber(s) you require.




Code	B	E	T	D	MX	A	F	H	G
	+0,3 -0,3	+0,5 -0,5	-0,2	+0,1	6h	+0,5 -0,5	+0,5 -0,5	+0,15 -0,15	+0,5 -0,5
01	18	20	10	8,3	M8	11	6	10	29
02	19	16	12	6,1	M8	10	6	12	25,5
03	19	18	12	6,1	M6	12	6	12	27,5
04	19	18	12	8,1	M8	11	6	12	27,5
05	19	18	10	8,1	M8	11	6	10	27,5
06	19	20	12	8,1	M8	12	6	12	29
07	19	20	12	10,1	M8	12	6	12	29
08	18	20	12	8,1	M8	12	6	12	29
09	18	20	10	8,1	M8	12	6	10	29
10	19	30	12	8,1	M8	12	6	12	39,5



Drawing Name : Pin-hole
Drawing No. : ATL.07.
Material : Standart 11SMnPb30
Protective Finish : white zinc plated .

Standard based on DIN 71802 – Metric sizes.
Mechanic fittings, suitable for static force transmission.
For a quotation, please look at below types and select the
partnumber(s) you require.




Code	D	d	d1	H	L	L1
	+0,2 -0,2	h11	h14	+0,15 -0,15	+0,15 -0,15	+0,15 -0,15
01	8	5	1,5	1,5	15	12
02	9	6	2	1,5	18	15
03	12	8	2	2	23	19,5
04	14	10	3	2	29	24,5
05	16	12	3	3	35	29,5
06	19	14	4	3	40	32,5
07	20	16	4	3	45	37,5



Drawing Name : Split Metal Eyes.
Drawing No : ATL.02.
Material : Standart 11SMnPb30
Protective Finish : white zinc plated .

Standard Metric sizes.
Mechanic fittings, suitable for static force transmission.
For a quotation, please look at below types and select the
partnumber(s) you require.



Code	B	E	T	D	MX	A	F	G
	+0,3 -0,3	+0,5 -0,5	-0,2	+0,1	6h	+0,5 -0,5	+0,5 -0,5	+0,5 -0,5
01	10	16	6	6,1	M5	9	7	21
02	10	20	3	6,1	M6	6	8	21
03	14	26	5	6,1	M6	14	16	33
04	14	26	5	8,1	M6	14	16	33
05	15	22	5	8,1	M8	12,5	14,5	29,5
06	15	22	10	8,1	M8	12,5	10	29,5
07	15	22	5	8,1	M6	12,5	14,5	29,5
08	15	18	5	8,1	M6	11,5	13,5	25,5
09	15	20	5	8,1	M6	11,5	13,5	27,5
10	15	25	3	8,1	M8	12,5	14,5	32,5
11	15	25	5	8,1	M8	12,5	14,5	32,5
12	15	25	8	8,1	M8	12,5	13,5	32,5
13	15	25	3	8,1	M8	12,5	14,5	32,5
14	15	25	5	8,1	M6	12,5	14,5	32,5
15	15	30	5	8,1	M6	14,5	16,5	37,5
16	18	18	10	8,1	M8	10	6	27
17	18	20	10	8,1	M8	10,5	10	29
18	18	22	10	8,1	M8	12,5	10	31
19	18	25	10	8,1	M8	12,5	10	34
20	18	30	10	8,1	M8	12,5	14	39
21	18	30	10	8,1	M10	15	16	39
22	18	30	10	10,1	M8	14	16	39
23	18	35	10	8,1	M10	20	22	44
24	18	25	10	10,1	M8	12	14	34
25	20	35	10	8,1	M8	20	20	45
26	20	35	12	10,1	M10	14	16	45
27	20	35	10	10,1	M8	14	16	45
28	20	22	12	10,1	M10	13	10	32
29	20	30	12	10,1	M10	15	16,5	40
30	20	25	10	8,1	M10	11	13	35
31	25	42	14	14,1	M10	18	22,5	54,5
32	25	42	14	14,1	M14	18	22,5	54,5
33	18	30	10	8,1	M10	11	14	39